

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Albany Combined	0078	44.6500	-123.1000	210	12	11	1937	51
Alkali Lake	0118	42.9667	-120.0000	4330	9	8	1985	39
Alsea Fish Hatchery	0145	44.4000	-123.7500	230	12	28	1969	43
Andrews 7 NN	0189	42.5500	-118.5500	4780	41	36	1989	24
Antelope 1 N	0197	44.9167	-120.7333	2840	17	15	1937	64
Arlington	0265	45.7167	-120.2000	280	12	21	1929	80
Ashland	0304	42.2167	-122.7167	1750	9	11	1911	109
Ashwood 2 NE	0312	44.7500	-120.7167	2820	10	12	1969	66
Astor Experiment Stn	0318	46.1500	-123.8800	50	14	16	1969	28
Astoria WSO Combined	0328	46.1500	-123.8800	10	10	14	1969	78
Austin 3 S	0356	44.5833	-118.5000	4210	68	73	1932	82
Baker FAA Ap	0412	44.8333	-117.8167	3370	17	20	1949	57
Baker WB Cit	0417	44.7667	-117.8333	3450	16	15	1929	54
Bandon 2 NNE	0471	43.1500	-124.4000	20	2	1	1935	65
Barnes Station	0501	43.9500	-120.2167	3970	15	15	1993	48
Beaverton 2 SSW	0595	45.4500	-122.8167	270	2	2	1972	27
Beech Creek	0631	44.5667	-119.1167	4710	55	45	1916	38
Belknap Springs 8 N	0652	44.3000	-122.0333	2150	96	117	1969	42
Bend	0694	44.0667	-121.2833	3660	20	23	1973	102
Beulah	0723	43.9167	-118.1667	3270	19	22	1993	62
Big Eddy	0753	45.6167	-121.1167	130	22	21	1921	41
Blackbutte 1	0781	43.6000	-123.0833	970	19	15	1950	29
Boardman	0858	45.8333	-119.7000	300	11	10	1980	35
Bonneville Dam	0897	45.6333	-121.9500	60	40	78	1980	60
Brightwood	1028	45.3667	-122.0167	1070	35	32	1980	22
Brookings 2	1055	42.0300	-124.2500	50	1	2	1972	71
Brothers	1067	43.8000	-120.6000	4640	13	16	1968	34
Buena Vista	1124	43.0667	-118.8667	4140	11	11	1985	29
Buncom 1 NNE	1149	42.1833	-122.9833	1900	14	14	1964	56
Burns Junction	1174	42.7833	-117.8500	3930	13	10	1984	24
Burns WSO City Combined	1176	43.5833	-119.0500	4140	19	23	1993	80
Butte Falls 1 SE	1207	42.5333	-122.5500	2500	22	18	1917	42
Canary	1324	43.9200	-124.0300	80	12	19	1969	31
Canyon City	1352	44.4000	-118.9500	3190	7	6	1942	16
Cape Blanco	1360	42.8300	-124.5700	220	0	1	1969	22
Cascade Lock	1407	45.6833	-121.8833	100	60	85	1916	56
Cascade Summit	1415	43.5833	-122.0333	4840	321	254	1929	20
Cascadia State Park	1433	44.4000	-122.4833	860	18	23	1937	82
Cave Junction	1448	42.1667	-123.6667	1280	19	14	1971	42
Chemult 2 N	1546	43.2333	-121.7833	4760	124	127	1966	56
Cherry Grove *	1552	45.4167	-123.2500	780	42	39	1950	46
Chiloquin 1 E	1571	42.5833	-121.8667	4190	36	39	1917	56
Chiloquin 7 NW	1574	42.6500	-121.9500	4160	53	49	1993	28
Clatskanie	1643	46.1000	-123.2000	20	14	25	1950	73
Cloverdale	1682	45.2000	-123.9000	10	5	13	1943	57
Condon	1765	45.2333	-120.1833	2860	27	35	1932	92
Coquille KWRO	1836	43.1800	-124.2000	20	1	5	1989	38
Cornucopia	1852	45.0000	-117.2000	4700	196	190	1916	36
Corvallis	1857	44.5667	-123.2667	190	14	18	1937	22
Corvallis State University	1862	44.6333	-123.2000	230	12	16	1903	41
Corvallis Water Bureau *	1877	44.5167	-123.4500	590	35	60	1937	53

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Cottage Grove 1 S	1897	43.7167	-123.0500	650	9	21	1969	87
Cottage Grove Dam	1902	43.7833	-123.0667	830	18	32	1969	56
Cove 1 E	1926	45.3000	-117.8000	3160	26	28	1929	55
Crater Lake National Park	1946	42.9000	-122.1333	6470	469	515	1983	86
Crescent Lake	1978	43.5333	-121.9333	4760	152	135	1950	31
Dallas 2 NE	2112	44.9500	-123.2833	290	19	27	1937	57
Danner	2135	42.9333	-117.3333	4230	29	36	1937	58
Dayville	2168	44.4667	-119.5333	2360	10	10	1912	70
Dayville 8 NW	2173	44.5500	-119.6500	2260	6	5	1983	26
Denmark 1 NN	4721	42.9200	-124.4500	90	0	0	-	40
Detroit	2277	44.7000	-122.0667	1730	77	75	1969	66
Detroit Dam	2292	44.7167	-122.2500	1220	29	46	1969	49
Diamond 4 WN	2305	43.0333	-118.7500	4160	10	7	1949	20
Dilley 1 S	2325	45.4833	-123.1167	170	13	19	1950	62
Disston 1 NE Laying Creek	2345	43.7000	-122.7500	1220	22	23	1969	47
Dora 2 W	2370	43.1700	-124.0000	100	4	8	1989	20
Dorena Dam	2374	43.7833	-122.9667	820	15	34	1969	51
Drain 1 NNE	2406	43.6667	-123.3167	290	5	6	1917	78
Drewsay	2415	43.8000	-118.3833	3510	24	26	1993	21
Drewsey 2	2416	43.7831	-117.6331	3520	27	19	1921	15
Dufer	2440	45.4500	-121.1333	1330	29	36	1912	99
Durkee 3 NNW	2482	44.6167	-117.4833	2780	20	22	1964	19
Eagle Creek 9 SE	2493	45.2833	-122.2000	930	7	6	1982	29
Echo	2564	45.7500	-119.1833	660	17	19	1916	68
Elgin *	2597	45.5667	-117.9167	2650	34	36	1949	45
Elkton 3 SW	2633	43.6000	-123.5833	120	7	32	1969	58
Enterprise 20 NNE	2678	45.7000	-117.1500	3280	30	28	1985	35
Enterprise R S	2672	45.4333	-117.2667	3820	19	19	1932	42
Estacada 2 SE	2693	45.2667	-122.3167	410	11	14	1943	93
Estacada 24	2697	45.0833	-121.9833	2200	65	60	1937	22
Eugene	2706	44.0500	-123.0833	390	11	10	1917	30
Eugene WSO Airport	2709	44.1167	-123.2167	360	12	34	1969	58
Eula	2728	43.8333	-122.6167	880	17	16	1950	22
Fairview 4 NE	2775	43.2500	-124.0300	190	0	1	1975	26
Falls City 1 SW	2800	44.8500	-123.4500	600	26	31	1937	44
Falls City 2	2805	44.8500	-123.4300	420	20	21	1969	38
Fern Ridge Dam	2867	44.1167	-123.3000	480	12	30	1969	46
Fish Lake	2928	42.7106	-118.6264	4640	224	273	1933	36
Forest Grove	2997	45.5333	-123.1000	180	14	19	1919	110
Fossil	3038	45.0000	-120.2167	2650	18	30	1932	71
Foster Dam	3047	44.4167	-122.6667	550	2	4	1971	29
Fremont 5 NW *	3095	43.3833	-121.2000	4610	33	42	1952	71
Friend 1 W *	3121	45.3500	-121.2667	2440	36	42	1949	47
Gardner 1 N	3193	43.7500	-124.1200	30	0	0	-	16
Gerber Dam	3232	42.2000	-121.1333	4850	38	28	1937	32
Gibbon 4 NE	3250	45.7167	-118.3000	1950	21	14	1975	19
Gold Beach Ranger Stn	3356	42.4000	-124.4200	50	0	2	1972	52
Government Camp	3402	45.3000	-121.7500	3980	321	326	1956	58
Granite 4 WS	3430	44.8000	-118.5000	4940	127	90	1949	23
Grants Pass	3445	42.4333	-123.3500	920	6	11	1930	95
Green Spring Power Plant	3509	42.1167	-122.5667	2440	11	13	1965	39

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Grizzly	3542	44.5167	-120.9333	3640	15	16	1973	56
Halfway	3604	44.8833	-117.1167	2670	63	76	1949	72
Harper 1 S	3666	43.8667	-117.6167	2510	13	14	1930	38
Harrisburg	3678	44.2667	-123.1667	290	7	5	1928	23
Hart Mountain Refuge	3692	42.5500	-119.6500	5620	18	20	1965	53
Haskins Dam *	3705	45.3167	-123.3500	760	44	55	1950	67
Headworks Ptd Wtr Bur	3770	45.4500	-122.1500	750	28	36	1916	99
Hepner	3827	45.3667	-119.5500	1880	17	25	2008	101
Hermiston 2 S	3847	45.8167	-119.2833	620	15	31	1929	92
Hillsboro	3908	45.5167	-122.9833	160	13	35	1943	58
Holley	3971	44.3500	-122.7833	610	9	18	1969	57
Honeyman State Park	3995	43.9300	-124.1000	124	3	7	1989	31
Hood River Exp Stn	4003	45.6830	-121.5170	500	46	55	1916	93
Howard Prairie Dam	4060	42.2170	-122.3670	4570	99	119	2008	51
Huntington	4098	44.3500	-117.2500	2110	21	22	1993	82
Idleyld Park 4 NE	4126	43.3670	-122.9670	1080	20	23	1969	51
Illaha	4133	42.6300	-124.0500	350	11	18	1969	46
Ione 18 S	4161	45.3170	-119.8500	2130	17	22	1937	53
Ironside 2 W	4175	44.3170	-117.9830	3920	39	28	1984	27
Jacksonville	4216	42.3000	-122.9830	1640	14	12	1930	24
Jefferson	4238	44.7170	-123.0170	220	14	12	1937	17
John Day	4291	44.4330	-118.9500	3060	8	7	1982	55
Joseph Ranger Station	4329	45.3830	-117.2330	4020	18	15	1929	60
Juntura 9 EN	4357	43.8000	-117.9330	2830	11	9	1981	21
Keno	4403	42.1170	-121.9500	4120	32	38	1950	75
Kent	4411	45.2000	-120.7000	2720	16	20	2004	74
Klamath Falls 2 SSW	4506	42.2000	-121.7830	4100	26	36	1901	96
Klamath Falls Agr Stn	4511	42.1670	-121.7500	4090	19	21	1950	25
Lacomb 1 WNW	4603	44.5830	-122.7500	650	10	8	1943	18
Lacomb 3 NNE	4606	44.6170	-122.7170	520	3	4	1975	30
LaGrande	4622	45.3170	-118.0830	2750	15	16	1982	33
Lake Creek 5 SE	4634	42.3830	-122.5670	1910	6	6	1969	25
Lake Creek 6	4635	42.3670	-122.5330	1750	26	23	1937	29
Lakeview 2 NNW	4670	42.2170	-120.3670	4780	47	51	2001	84
Laurel Mountain	4776	44.9170	-123.5670	3590	159	183	2008	32
Leaburg 1 SW	4811	44.1000	-122.6830	680	14	26	1969	75
Lemolo Lake 3 NNW	4835	43.3670	-122.2170	4080	176	177	2008	31
Little River	4939	43.2500	-122.9170	1210	18	26	1969	40
London 1 N	5008	43.6500	-123.0830	930	18	19	1950	15
Long Creek	5020	44.7170	-119.1000	3720	14	16	1982	48
Lookingglass	5026	43.1830	-123.4830	620	2	4	2008	22
Lookout Point Dam	5050	43.9170	-122.7670	710	8	21	1969	45
Lost Creek Dam	5055	42.6670	-122.6830	1580	8	11	1971	35
Lower Hay Crek	5080	44.7330	-120.9830	1900	14	13	1973	57
Madras	5139	44.6330	-121.1330	2230	13	11	1909	80
Madras 1 NNW	5142	44.6670	-121.1500	2440	17	13	1986	30
Malheur Branch Exp Stn	5160	43.9830	-117.0170	2260	14	15	1982	64
Malin 5 E	5174	42.0000	-121.3170	4630	19	15	1993	33
Marion Forks Fish Hatchery	5221	44.6000	-121.9500	2480	136	146	1949	55
McDermitt 26 N	5335	42.4170	-117.8670	4460	11	11	1965	39
McKenzie Bridge R S	5362	44.1830	-122.1170	1480	61	63	1969	54

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
McMinnville	5384	45.2330	-123.1830	150	13	21	1919	96
Meacham WSO	5396	45.5000	-118.4000	4060	93	108	1949	29
Medford Exp	5424	42.3000	-122.8670	1460	7	20	1969	58
Medford WSO AP	5429	42.3830	-122.8830	1300	4	6	1930	77
Mehama	5447	44.7830	-122.6170	600	12	11	1950	37
Metolius 1 W	5515	44.5830	-121.1830	2500	19	16	1912	50
Mikkalo Larson Ranch	5545	45.4670	-120.3500	1550	14	12	1960	31
Milton	5593	45.9500	-118.4170	970	17	28	1929	64
Minam 7 NE	5610	45.6830	-117.6000	3620	50	41	1964	26
Mitchell 17	6243	44.4000	-120.4330	3980	46	46	1950	59
Mitchell 2 N	5641	44.5830	-120.1830	2650	13	10	1907	87
Modoc Orchard	5656	42.4500	-122.8830	1220	7	11	1930	44
Molalla 1 NW	5677	45.1500	-122.5670	400	10	13	1943	40
Montgomery R	5707	44.6170	-121.4830	1900	17	12	1942	19
Monument 2	5711	44.8170	-119.4170	2000	10	8	1979	40
Morgan 3 NE	5726	45.5830	-119.8830	950	14	15	1930	42
Moro	5734	45.4830	-120.7170	1870	18	19	1921	91
Myrtle Creek 12ENE	5892	43.0500	-123.0670	1190	15	13	1969	23
Myrtle Creek 8 NE	5891	43.0830	-123.1670	830	5	4	2006	27
N Willamette Exp Stn	6151	45.2833	-122.7500	150	9	28	1969	31
Nehalem 9 NE	5971	45.8200	-123.7700	140	2	1	1972	28
Newport	6032	44.5800	-124.0500	140	2	7	1972	75
North Bend FAA Airport	6073	43.4200	-124.2500	10	2	11	1923	78
Noti 1 NW	6173	44.0667	-123.4667	470	23	26	1969	26
Nyssa	6179	43.8667	-117.0000	2180	13	11	1972	59
O O Ranch	6302	43.2833	-119.3167	4140	18	16	1982	18
Oakland	6200	43.4167	-123.3000	430	1	1	2008	27
Oakridge Fish Hatchery	6213	43.7500	-122.4500	1270	14	21	1969	74
Odell Lake East	6252	43.5500	-121.9667	4800	220	243	1993	21
Odell Lake Land Pan	6251	43.5833	-122.0500	4790	295	231	1949	22
Ontario KSRV	6294	44.0500	-116.9667	2140	17	20	2004	61
Oregon City	6334	45.3500	-122.6000	170	9	12	1930	63
Otis	6366	45.0300	-123.9300	150	6	8	1969	43
Owyhee Dam	6405	43.6500	-117.2500	2400	11	13	1935	61
P Ranch Refuge	6853	42.8167	-118.8833	4200	8	6	1983	46
Paisley	6426	42.7000	-120.5333	4360	14	13	1906	78
Parkdale Combined	6464	45.5167	-121.5833	1720	79	76	1916	65
Parkdale 2 NNE	6466	45.5500	-121.5667	1450	34	36	1998	27
Paulina	6500	44.1333	-119.9667	3680	12	8	1983	28
Pelton Dam	6532	44.7333	-121.2333	1410	14	14	1986	31
Pendleton Bridge Exp Stn	6540	45.7167	-118.6333	1490	16	15	1957	55
Pendleton Radio Kuma *	6541	45.6667	-118.8000	1040	30	31	1921	36
Pendleton WSO Airport	6546	45.6833	-118.8500	1480	13	12	1957	76
Philomath 2	6614	44.5333	-123.3333	220	17	15	1969	23
Pilot Rock	6634	45.4833	-118.8167	1720	18	36	1916	87
Pine Grove	6655	45.1167	-121.3667	2220	23	16	1979	22
Plush 1 N	6717	42.4167	-119.9000	4540	7	6	1952	15
Port Orford 2 Combined	6784	42.4500	124.3000	30	0	1	1906	56
Port Orford 5 E	6795	42.4400	-124.2400	150	1	2	1972	32
Portland WB City	6749	45.5167	-122.6833	160	8	12	2008	32
Portland WSFO	6751	45.6000	-122.6000	20	11	11	1950	48

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Portland WSO	6761	45.5333	-122.6667	30	11	12	1937	45
Powers	6820	42.8800	-124.0700	230	5	6	1935	55
Prairie City	6845	44.4500	-118.7167	3540	22	21	1916	32
Prineville 4 NW	6883	44.3500	-120.9000	2840	15	30	1919	77
Prospect 2 SW *	6907	42.7333	-122.5167	2480	38	41	1937	101
Redmond 2 W	7052	44.2667	-121.2167	3010	14	13	1973	52
Redmond FAA AP	7062	44.2667	-121.1500	3060	16	15	1973	46
Reedsport 2	7082	43.7000	-124.1200	60	5	15	1969	34
Reston	7112	43.1333	-123.6167	890	20	26	1971	47
Rex 1 S	7127	45.3000	-122.9167	520	7	18	1971	31
Richland	7160	44.7667	-117.1667	2210	21	23	1984	55
Riddle 2 NNE	7169	42.9500	-123.3500	680	6	9	1930	90
Riverside	7208	43.5500	-118.1667	3330	16	16	1930	74
Rock Creek	7250	44.9167	-118.0667	4040	69	70	1949	85
Rocksville 5 N	7277	43.3667	-117.1167	3670	9	10	1985	45
Rome 2 NW	7310	42.8667	-117.6500	3410	9	9	1983	46
Roseburg KQEN	7331	43.2167	-123.3667	420	7	25	1969	61
Roseburg WB	7326	43.2333	-123.3667	510	5	5	1962	36
Round Grove	7354	42.3333	-120.8833	4890	28	27	1950	56
Ruch	7391	42.2333	-123.0333	1550	17	28	1965	33
Saginaw	7444	43.8333	-123.0333	620	18	19	1969	26
Salem WSO Airport	7500	44.9167	-123.0000	200	9	12	1909	82
Sand Creek	7533	42.8500	-121.9000	4680	161	116	1938	20
Santiam Pass	7559	44.4167	-121.8667	4750	481	425	1949	29
Scotts Mills Combined	7631	44.9500	-122.5333	2320	69	90	1969	67
Seaside	7641	45.9800	-123.9200	10	3	16	1935	67
Seneca	7675	44.1333	-118.9667	4660	46	51	1932	60
Sexton Summit	7698	42.6167	-123.3667	3840	120	121	1969	42
Sheaville	7736	43.1167	-117.0333	4590	31	38	1937	38
Silver Creek Falls *	7809	44.8667	-122.6500	1350	42	59	1969	49
Silver Lake Ranger Station	7817	43.1167	-121.0667	4380	11	10	1982	28
Silverton	7823	45.0000	-122.7667	410	9	10	1971	43
Sisters	7857	44.3000	-121.5500	3180	32	34	1993	39
Sitkum	7866	43.1500	-123.8300	610	28	30	1969	16
South Deer Creek	7940	43.1667	-123.2167	690	3	3	2008	30
Sprague River	8007	42.4500	-121.5000	4360	27	30	1993	33
Spray	8009	43.4833	-119.7167	1740	13	12	1937	19
Squaw Butte Exp	8029	43.4833	-119.7167	4660	29	35	1950	44
St Helens RFD	7466	45.8667	-122.8167	100	6	14	1980	26
Starkey	8079	45.2333	-118.4500	3400	38	45	1916	30
Summer Lake 1 S	8173	42.9500	-120.7833	4190	20	57	1971	50
Summit	8182	44.6300	-123.5800	750	20	22	1937	77
Summit Guard	8190	45.3000	-121.7500	3900	334	333	1949	56
Suntex	8250	43.6000	-119.6333	4310	13	15	1982	29
Sutherlin 4 NE	8260	43.4167	-123.2333	600	1	2	2008	25
Talent	8338	42.2500	-122.8000	1550	6	5	1917	29
The Dalles	8407	45.6000	-121.2000	100	25	28	1916	67
The Poplars	8420	43.2667	-120.9333	4330	14	11	1960	36
Three Lynx *	8466	45.1167	-122.0667	1120	43	59	1937	67
Tidewater Fl	8481	44.4200	-123.9000	50	5	9	1951	41
Tillamook 1 W	8494	45.4500	-123.8700	10	4	6	1969	57

Table 1
National Weather Service COOP Stations

COOP Site Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Timber	8522	45.7200	-123.3000	940	63	70	1969	44
Toketee Fall	8536	43.2833	-122.4500	2060	36	38	1969	54
Trail 14 NE *	8588	42.7833	-122.6667	1850	38	30	1966	15
Troutdale Substation	8634	45.5667	-122.4000	30	11	21	1980	49
Ukiah	8726	45.1333	-118.9333	3350	22	19	1979	55
Umatilla	8734	45.9167	-119.3500	270	8	9	1912	56
Union Exp St	8746	45.2167	-117.8833	2770	12	14	1989	95
Unity	8780	44.4333	-118.1833	4030	28	28	1952	53
Upper Olalla	8788	43.0333	-123.5500	760	6	8	1989	24
Vale 1 W	8797	43.9833	-117.2500	2240	17	20	1977	74
Valley Falls	8812	42.4833	-120.2833	4330	16	14	1916	49
Valsetz	8833	44.8300	-123.6700	1160	46	44	1969	37
Vernonia *	8879	45.8667	-123.2000	840	35	35	1950	29
Vernonia 2	8884	45.8667	-123.1833	630	14	20	1969	40
Voltage 2 NW Combined	5162	43.2833	-118.8333	4110	13	18	1982	29
Wagontire	8948	43.2500	-119.8833	4730	26	22	1982	21
Walla Walla	8985	46.0000	-118.0500	2400	57	60	1949	34
Wallowa	8997	45.5667	-117.5333	2940	38	36	1916	48
Warm Springs	9046	44.7667	-121.2500	1500	10	8	1930	35
Warm Springs Reservoir *	9038	43.5667	-118.2000	3330	25	26	1912	29
Warren	9051	45.8167	-122.8500	70	12	8	1954	20
Wasco	9068	45.5833	-120.7000	1270	23	26	1912	73
Waterloo	9083	44.5000	-122.8167	430	8	19	1969	63
West Linn	9208	45.3333	-122.6500	70	10	12	1943	28
Westfall 2 N	9176	44.0167	-117.7167	3140	17	13	1979	26
Westfir	9184	43.7500	-122.5000	1080	23	26	1949	16
Weston 2 SE	9216	45.8000	-118.4000	2100	21	19	1929	41
Weston 5 ESE *	9219	45.8000	-118.3333	3200	43	52	1957	25
Whitehorse R	9290	42.3333	-118.2333	4380	33	39	1996	21
Whiteson 1 N	9298	45.1667	-123.2000	80	12	14	1943	21
Wickiup Dam	9316	43.6833	-121.6833	4330	68	82	1966	60
Wicopee *	9324	43.6667	-122.2667	2880	122	87	1951	28
Willamina	9372	45.0800	-123.4800	230	16	18	1969	66
Williams 1 N	9390	42.2333	-123.2833	1350	16	14	1965	60
Winchester	9461	43.2833	-123.3667	460	7	21	1969	52
Yonna	9604	42.3000	-121.4833	4180	21	18	1937	42
Zig Zag RS	9616	45.3500	-121.9333	1440	69	57	1950	40

© 2010 Structural Engineers Association of Oregon. All Rights Reserved.

Table 2
National Resources Conservation Service SNOTEL Stations

SNOTEL Station Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Aneroid Lake	17D02S	45.2100	-117.1900	7400	241	261	1997	27
Annie Springs	22G06S	42.8700	-122.1600	6010	413	362	2006	9
Arbuckle Mountain	19D02S	45.1900	-119.2500	5770	218	207	1983	31
Beaver Reservoir	18D09S	45.1400	-118.2100	5150	124	104	2008	29
Big Red Mountain	22G21S	42.0525	-122.8547	6050	313	333	1983	29
Bigelow Camp	23G15S	42.0786	-123.3439	5130	226	215	1999	29
Billie Creek	22G13S	42.4069	-122.2664	5280	238	202	1999	28
Blazed Alder	21D33S	45.4283	-121.8564	3650	437	477	2008	28
Blue Mountain Spring	18E16S	44.2478	-118.5175	5870	174	160	1982	31
Bourne	18E05S	44.8306	-118.1878	5850	171	162	1983	31
Bowman Springs	18D20S	45.3644	-118.4672	4530	98	95	1989	31
Cascade Summit	22F03S	43.5833	-122.0333	5100	321	285	1999	29
Chemult Alternate	21F22S	43.2261	-121.8067	4850	107	96	1993	29
Clackamas Lake	21D13S	45.0964	-121.7528	3400	155	124	1997	29
Clear Lake	21D12S	45.1881	-121.6906	3810	174	138	2008	29
Cold Springs	22G24S	42.5331	-122.1769	5940	347	294	1999	28
County Line	18D08S	45.1911	-118.5500	4830	65	68	1989	29
Daly Lake	22E08S	44.5219	-122.0872	3690	298	255	2008	29
Derr	19E03S	44.4464	-119.9303	5850	165	165	1983	29
Diamond Lake	22F18S	43.1878	-122.1400	5280	203	215	1999	28
Eilertson Meadows	18E03S	44.8692	-118.1139	5510	121	112	1983	29
Emigrant Springs	18D04S	45.5581	-118.4539	3800	104	99	1989	29
Fish Creek	18G02S	42.7106	-118.6264	7660	332	305	1983	30
Fourmile Lake	22G12S	42.4392	-122.2289	5970	307	250	1999	30
Gold Center	18E08S	44.7639	-118.3117	5410	107	102	2006	29
Green Point	21D01S	45.6222	-121.7044	3310	230	189	2008	30
High Ridge	18D19S	45.6975	-118.1053	4920	251	239	1982	31
Hogg Pass	21E06S	44.4206	-121.8569	4790	381	356	1999	30
Holland Meadows	22F42S	43.6692	-122.5689	4930	292	257	1999	28
Irish Taylor	21F21S	43.8036	-121.9486	5540	375	369	1999	31
Jump Off Joe	22E07S	44.3861	-122.1669	3520	201	201	2008	31
King Mountain	23G09S	42.7239	-123.2000	4340	115	109	2008	28
Lake Creek R.S.	18E18S	44.2100	-118.6378	5240	130	119	1983	31
Little Meadows	22E09S	44.6131	-122.2261	4020	371	406	2008	29
Lucky Strike	18D096S	45.2747	-118.8481	4970	105	98	1982	31
Madison Butte	19D03S	45.1053	-119.4958	5150	77	67	1993	29
Marion Forks	21E04S	44.6000	-121.9500	2590	194	179	2008	29
Mckenzie	21E07S	44.2100	-121.8700	4770	455	435	1999	28
Moss Springs	17D06S	45.2717	-117.6875	5760	211	202	1982	29
Mt. Hood Test Site	21D08S	45.3214	-121.7158	5370	577	532	1997	29
Mount Howard	17D18S	45.2647	-117.1731	7910	192	190	1997	29
Mud Ridge	21D35S	45.2536	-121.7367	4070	304	276	2008	31
New Crescent Lake	21F10S	43.5119	-121.9797	4910	163	134	1993	29
North Fork	22D02S	45.5503	-122.0031	3060	335	377	2008	31
Ochoco Meadows	20E02S	44.4289	-120.3314	5430	114	97	1983	26
Peavine Ridge	21D14S	45.0414	-121.9325	3420	201	204	2008	26
Quartz Mountain	20G06S	42.3192	-120.8253	5720	101	89	1993	29
Railroad Overpass	22F05S	43.6586	-122.2125	2680	38	36	2008	28
Red Hill	21D04S	45.4647	-121.7044	4410	498	527	2008	31
Rock Springs	18F01S	44.0092	-118.8381	5290	78	60	1983	29
Roaring River	22F43S	43.9011	-122.0311	4950	353	329	2008	29

Table 2
National Resources Conservation Service SNOTEL Stations

SNOTEL Station Name	Station Number	Latitude	Longitude	Elevation (ft)	50 Year Load (psf)	Record Load (psf)	Year	Years of Record
Salt Creek Falls	22F04S	43.6119	-122.1175	4220	249	244	2008	29
Santiam Junction	21E05S	44.4350	-121.9450	3740	229	200	2008	31
Saddle Mountain	23D01S	45.5447	-123.3731	3110	179	196	2008	30
Schneider Meadows	17D08S	45.0011	-117.1653	5400	265	295	1999	29
Seinie Creek	23D02S	45.5258	-123.2967	2060	68	63	1990	27
Sevenmile Marsh	22G33S	42.6983	-122.1417	5700	335	276	1983	29
Silvies	18G01S	42.7531	-118.6881	6990	244	235	1983	30
Silver Creek	21F12S	42.9561	-121.1811	5740	146	140	1983	29
Snow Mountain	19F01S	43.9486	-119.5400	6230	154	135	1983	31
Starr Ridge	19E07S	44.2650	-119.0211	5250	79	69	2006	29
Strawberry	20G09S	42.1258	-120.8361	5770	91	86	1983	29
Summer Rim	20G02S	42.6958	-120.8017	7080	207	202	1983	29
Summit Lake	22F14S	43.4489	-122.1381	5610	379	362	1999	29
Taylor Green	17D07S	45.0772	-117.5508	5740	188	187	1983	27
Taylor Butte	21G03S	42.6911	-121.4261	5030	89	84	2006	31
Three Creek Meadow	21E13S	44.1442	-121.6411	5690	246	240	1999	29
Tipton	18E09S	44.6558	-118.4261	5150	135	123	1984	29
Wolf Creek	18D21S	45.0600	-118.1500	5630	166	161	1984	31

© 2010 Structural Engineers Association of Oregon. All Rights Reserved.